

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	32833318	((@pd<"20040311" OR @riad<"20040311" OR @ptad<"20040311" OR @ad<"20040311")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:12
S2	686568	((location OR position) NEAR5 (determin\$5 OR compar\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:17
S3	685	S2 WITH (PAN)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:18
S4	699	S2 WITH (PAN OR (personal ADJ area ADJ network))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:18
S5	498166	((determin\$5 OR compar\$5) ADJ5 (location OR position))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:19
S6	465	S5 WITH (PAN OR (personal ADJ area ADJ network))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:19
S7	14	S6 AND RFID	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 23:20
S8	498166	((determin\$5 OR compar\$5) ADJ5 (location OR position))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/14 11:29
S9	1019	S8 WITH RFID	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/14 11:29
S10	557	S9 SAME (identify OR identification OR ID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/14 13:21

S11	32833318	((@pd<"20040311" OR @rlad<"20040311" OR @ptad<"20040311" OR @ad<"20040311")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/14 13:21
S12	201	S10 AND S11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/14 13:21
S13	10	("20020086640" "20020098852" "5119104" "6353406" "6424264" "6525648" "6700533").PN. OR ("6963289").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/14 15:10
S14	2	"6850163".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/15 23:21
S15	7985	(establish\$3 OR configur\$3) NEAR5 (wire\$1less NEAR2 network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/15 23:43
S16	3	S15 WITH ((location OR position) NEAR5 (compar \$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/15 23:43
S17	13066	(establish\$3 OR configur\$3) WITH (wire\$1less NEAR2 network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/15 23:45
S18	22	S17 SAME ((location OR position) NEAR5 (compar \$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/15 23:46
S19	32833968	((@pd<"20040311" OR @rlad<"20040311" OR @ptad<"20040311" OR @ad<"20040311")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:13
S20	537	((establish\$3 OR configur\$5 OR creat\$3) NEAR5 (wire \$1less ADJ2 network)) WITH (location OR position)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:15
S21	356	S20 AND ("370"/\$.ccls. OR "455"/\$.ccls. OR "703"/\$. ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:17

S22	242	S21 AND S19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:46
S23	8	S22 AND (RFID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:47
S24	233	((establish\$3 OR creat\$3) NEAR5 (wire\$1less ADJ2 network)) WITH (location OR position)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:51
S25	159	S24 AND S19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:51
S26	108	S25 AND ("370"/\$.ccls. OR "455"/\$.ccls. OR "703"/\$. ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:51
S27	62	((((establish\$3 OR configur\$5 OR creat\$3) NEAR5 (wire \$1less ADJ2 network)) WITH (location OR position)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:54
S28	36	S27 AND S19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 15:54
S29	242974	("370"/\$.ccls. OR "455"/\$. ccls. OR "703"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 17:19
S30	373	((((establish\$3 OR form\$3 OR creat\$3) NEAR5 (wire \$1less ADJ2 network)) WITH (location OR position))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 17:19
S31	248	S30 AND S19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 17:19
S32	163	S31 AND S29	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 17:20

S33	32833968	((@pd<"20040311" OR @rlad<"20040311" OR @ptad<"20040311" OR @ad<"20040311"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 21:53
S34	652941	(notif\$7 OR determin\$5) NEAR5 (proximity OR near\$2 OR close\$2 OR position OR location)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 21:54
S35	3851	S34 SAME (wire\$1less ADJ2 network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 21:55
S36	74	S35 SAME RFID	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 21:55
S37	20	S36 AND S33	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 21:56
S38	8243	(establish\$3 OR form\$3 OR creat\$3) NEAR5 (wire\$1less ADJ2 network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 22:12
S39	86	S38 WITH (proximity OR near\$2 OR close\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 22:17
S40	42	S39 AND S33	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 22:17
S41	2	"6490456".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/16 22:42
S42	10	("20020098849" "20030069002" "20040198376" "20040203908" "20040203910" "6091956" "6347095" "6459892" "6490456" "6909903").PN. OR ("7142839").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/16 22:48
S43	2188	(group\$3 NEAR5 (wire\$1less NEAR3 (node OR element OR device OR station)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/16 23:16

S44	191	S43 WITH (location OR proximity OR near\$2 OR close\$2)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/16 23:16
S45	212	S43 WITH (location OR position OR proximity OR near\$2 OR close\$2)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/16 23:17
S46	125	S45 AND S33	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/16 23:17
S47	5	"324984".ap.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/16 23:26
S48	32833968	((@pd<"20040311" OR @rlad<"20040311" OR @ptad<"20040311" OR @ad<"20040311")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 18:16
S49	218102	(identif\$7) NEAR5 (location OR position OR proximity OR near\$2 OR close\$2)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 18:17
S50	1355467	(node OR element OR device OR station) NEAR5 (location OR position OR proximity OR near\$2 OR close\$2)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 18:18
S51	39235	identif\$7 WITH ((node OR element OR device OR station) NEAR5 (location OR position OR proximity OR near\$2 OR close\$2))	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 18:19
S52	5531	S51 SAME (wire\$1less OR radio)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 18:19
S53	1013	S52 AND RFID	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 18:20
S54	242974	("370"/\$.ccls. OR "455"/\$.ccls. OR "703"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 18:20
S55	432	S53 AND S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 18:20
S56	101	S55 AND S54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 18:21
S57	6	((("5680780") or ("6201969") or ("6119005")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/17 18:24

S58	7323	((identif\$7) WITH ((proximity OR near\$2 OR close\$2) NEAR7 (node OR element OR device OR station)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 19:16
S59	1180	S58 SAME (wire\$1less OR radio)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/17 19:16
S60	700	S59 AND S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:17
S61	303	S60 AND S54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:17
S62	28	S61 AND RFID	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:22
S63	166	((group OR list) NEAR5 (proximity OR near\$2 OR close\$2) NEAR7 (node OR element OR device OR station)) WITH (radio OR wire\$1less)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:36
S64	290	((group OR list) WITH ((proximity OR near\$2 OR close\$2) NEAR5 (node OR element OR device OR station)) WITH (radio OR wire\$1less)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:37
S65	48	S64 SAME (id OR identification OR identify)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:37
S66	27	S65 AND S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 19:37
S67	619	((establish\$3 OR creat\$3 OR form) WITH ((ad\$thoc OR mesh) NEAR3 (wire\$1less OR radio)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 20:30
S68	117	S67 SAME (location OR position OR proximity OR near\$3 OR close\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 20:31

S69	63	S68 AND S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/17 20:31
S70	6	"799063".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/20 21:57

5/21/2008 2:45:28 PM

C:\Documents and Settings\bluu\My Documents\EAST\Workspaces\10799063_2nd.wsp